SWISS SOLAR Pro.

12hx135r fr cost



12hx135r fr cost



Buy 12HX135R-FR Battery Storage NSN Part by Enersys Delaware Inc

We're excited to announce that 12HX135R-FR NSN part is now available and ready for immediate shipping. Part number 12HX135R-FR is a Battery Storage manufactured by Enersys Delaware Inc

Hawker Enersys DataSafe 12HX135 12V 28Ah AGM Monoblock

Hawker Enersys Datasafe 12HX135 12V 28Ah AGM Monoblock. Die DataSafe® HX Baureihe bietet hervorragende Lösungen für unterbrechungsfreie Stromversorgungsanlagen (USV) und IT





Buy 12HX135R-FR Battery Storage part by Enersys Corporation

Your request for part number 12HX135R-FR which is described as Battery Storage manufactured by Enersys Corporation with CAGE code 77280 will be reviewed by one of Aerospace Exchange's parts

DataSafe 12HX135R-FR

EnerSys DataSafe 12HX135R-FR batteries deliver superior performance, occupying less space than conventional standby power batteries. This range of valve regulated lead acid batteries has been



12HX135R-FR EnerSys


Find the best pricing for EnerSys 12HX135R-FR by comparing bulk discounts from 1 distributors. Octopart is the world's source for 12HX135R-FR availability, pricing, and technical specs and other



12HX135R Battery by ENERSYS

Home > Components > Battery > ENERSYS > 12HX135R *Image shown is a representation only. Actual product may vary 2-Year Radwell Warranty included for all products we sell and repair.





Enersys 12HX330 Datasafe Battery Data Sheet

Installation and Operation Normal operating temperature range 12HX25-FR - 12HX150-FR: -4°F (-20°C) to 122°F (50°C) 12HX205-FR - 12HX540-FR: -22°F (-30°C) to 122°F (50°C) Float charging voltage

Enersys 12HX135R-FR

DetailsThe Enersys Datasafe HX battery series is designed specifically for UPS applications. This model features the same maximized reliability its known for, thanks fo the plate grids of lead-calcium-tin





Hawker Enersys DataSafe 12HX135 12V 28Ah AGM Monoblock

Informationen zu Hersteller, verantw. Person, zu Warn- und Sicherheitsinformationen Spannung: 12 154,07 EUR* In den Warenkorb Produkt-Nr.: 9876830 Hawker Enersys DataSafe 12HX205-FR 12V

Enersys 12HX400 Datasafe Battery Data Sheet

Installation and Operation Normal operating temperature range 12HX25-FR - 12HX150-FR: -4°F (-20°C) to 122°F (50°C) 12HX205-FR - 12HX540-FR: -22°F (-30°C) to 122°F (50°C) Float charging voltage





Datasafe HX Battery Range Summary

The minimal level of gas evolution allows battery installation in cabinets or on stands, in ofices or near main equipment, maximizing space utilization and reducing storage and maintenance costs.

6 and 12 Volt HX

The minimal level of gas evolution allows battery installation in cabinets or on stands, in ofices or near main equipment, maximizing space utilization and reducing storage and maintenance costs.





EnerSys DataSafe HX - Quality Power Solutions

The EnerSys DataSafe HX UPS battery series offers high-level solutions for a range of UPS systems. These batteries are designed for low maintenance and high power. All DataSafe HX batteries feature

DataSafe HX

DataSafe® HX-Batterien Mit der ventilgeregelten Bleisäure- (VRLA)-Technologie bieten DataSafe ® HX-Batterien hervorragende Lösungen für eine Reihe von unterbrechungsfreien Stromversorgungs-





12HX135R Battery par ENERSYS

12HX135R Components from ENERSYS 2-Year Warranty - BATTERY Radwell n'est pas un distributeur, revendeur ou représentant agréé des produits présentés sur ce site Web. Tous les noms du produit,

Kontaktieren Sie uns

Für Kataloganfragen, Preisinformationen oder Partnerschaftsanfragen besuchen Sie bitte:
https://www.jee-lee.ch